

Assortment

Type 00) Flat letters	1	Type L1 Light box, milled front	1
Type 01	Dimensional letters	2	Type L4 Light box, acrylic front	1
Type 1	Lit Dimensional letters	3	Type L10 Light box, push-thru acrylic	1.
Type 2	Neon letters with coaming	4	Type ST 3	1.
Type 3	Channel letters, corona	5	Type ST 3 Edge	1
Type 4	Channel letters, aluminum frame	6	Type ST 6	1
Type 5	Channel letters, plastic ledge	7	Type ST 6 Edge	1
Type 6	Channel letters, acrylic front	8	Type ST 10	1
Type 8	Channel letters, acrylic front	9	Type ST 15	1





Flat letters in powder coated aluminium with vinyl top (optional). Studs for background distance.

Strength

- No maintenance
- Can be mounted seperately or on framework
- Small to medium signs

Options

Brass, stainless, brushed aluminum, acrylic, PVC foam etc. Mounted with self-adhesive tape, glur, citinox, dome nut.





Dimensional letters in powder coated aluminium with vinyl top (optional).

Strength

- No maintenance
- Can be mounted seperately or on frameworkMedium to big signs

Options

Brass, stainless, brushed aluminum etc.






Dimensional letters in powder coated aluminium. Powder coated bottom, white aluminum middle with LED and top in powder coated aluminum with milled holes for LED. Front is screwed on to to letter sides. Power supply hidden inside the letter.

Strength

- Low power consumption
- Long lifespan
- Can be mounted seperately or on framework
- Medium to big signs

Options

Color, Neon for a classic appearance.





Dimensional letters in powder coated aluminium with front coaming to reduce light spill. Wire attached neon tubes. Transformer hidden inside letter.

Strength

- Classic appearance
- Long lifespan
- Can be mounted seperately or on framework
- Small to big signs

Options

Fronts in brass, stainless, brushed aluminum etc. Contour or center placed neon tubes. Environmentally friendly LED Flex-neon tubes.





Backlit Channel letters with clear acrylic bottom, white aluminum middle with LED and top dimensional letter in powder coated aluminum. Front is screwed on to middle section. Studs for background distance. Power supply hidden inside the letter.

Strength

- Classic appearance
- Long lifespan
- Can be mounted seperately (or on framework)
- Medium to big signs

Options

Fronts in brass, stainless, brushed aluminum etc. Translucent vinyl in bottom for colored halo. Can be combined with Type 4, 5, 6 and 8.





Channel letters with powder coated aluminum bottom. White interior with LED. 3 mm opal acrylic plastic front with aluminum frame screwed on to letter sides. Power supply hidden inside the letter.

Strength

- Low power consumption
- Easy installtion
- Can be mounted seperately or on framework
- Medium to big signs

Options

Fronts in colored acrylic, vinyl top coating. Can be combined with Type 3.





Channel letters with powder coated aluminum bottom. White interior with LED. 3 mm opal acrylic plastic front with vinyl top coating. Glued plastic ledge screwed to letter sides. Power supply hidden inside the letter.

Strength

- Low power consumption
- Easy installtion
- Easy maintenance
- Can be mounted seperately or on framework
- Medium sized signs

Options

Fronts in colored acrylic, plastic ledge in different colors. Can be combined with Type 3.






Channel letters with powder coated aluminum bottom. White interior with LED. 15 mm opal acrylic plastic front with or without vinyl top coating. Milled edges with 5 mm acrylic protrusion. Fronts screwed to letter sides. Power supply hidden inside the letter.

Strength

- Low power consumption
- Long lifespan
- Can be mounted seperately or on framework
- Medium sized signs

Options

Fronts in colored acrylic. Top in brass, stainless, brushed aluminum etc. Can be combined with Type 3 and 10.



Channel letters with powder coated aluminum bottom. White interior with LED. Solid acrylic plastic front. Fronts screwed to letter bottom. Power supply hidden inside the letter or placed in seperate transformer.

Strength

- Low power consumption
- Medium sized signs

Options

Fronts in colored acrylic. Vinyl top coating. Can be combined with Type 3 and 10.



Light box in powder coated aluminum. White interior with LED. Front in 3 mm opal acrylic plastic with vinyl top. Powder coated aluminum front with milled decoration, with or without vinyl. Acrylic plastic attatches to aluminum front with 4 mm bolts, spacer and screw-nut. Front is attached to box. Power supply hidden inside the box.

Strength

- Low power consumption
- Easy installation
- Easy maintenance
- Small to medium signs

Options

Retracted waist, fronts in brass, stainless, brushed aluminum etc. Rectangular, contour shaped, duplex, pendent or projecting box.




Light box in powder coated aluminum. White interior with LED. Front in 3 mm opal acrylic plastic with vinyl top. Powder coated aluminum frame screwed on to box sides. Boxes higher than 1000 mm are fitted with a hanging drop. Power supply hidden inside the box.

Strength

- Low power consumption
- Easy installation
- Easy maintenance
- Small to large signs

Options

Retracted waist, fronts colored acrylic.
Rectangular, contour shaped, duplex, pendent or projecting box.





Light box in powder coated aluminum. White interior with LED. Front in 3 mm opal acrylic plastic. Powder coated aluminum front with milled decoration. Acrylic plastic attaches to aluminum front with 4 mm bolts, spacer and screw-nut. Front is attached to box. 10 mm acrylic plastic with or without vinyl top coating is glued to the 3 mm acrylic. Power supply hidden inside the box or placed in seperate transformer.

Strength

- Low power consumption
- Easy installation
- Easy maintenance
- Small to medium signs

Options

Retracted waist, fronts in brass, stainless, brushed aluminum, colored acrylic etc. Rectangular, contour shaped, duplex, pendent or projecting box. Type L15 with 15 mm acrylic plastic.





Backlit dimensional letter with 10-15 mm front in powder coated aluminum. For indoor use (no IP-rating) and outdoor use (IP65). Minimum thickness 12 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately (or on framework)
- Easy maintenance
- Small to medium signs

Options

_

Type ST 3 Edge





Description

Backlit dimensional letter with glowing acrylic bottom and 2-14 mm edge and 10-15 mm front in powder coated aluminum. For indoor use (no IP-rating) and outdoor use (IP65). Minimum thickness 12 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately (or on framework)
- Easy maintenance
- Small to medium signs

Options

-

Type ST 6





Description

Frontlit dimensional letter in 15 mm powder coated aluminum with glowing acrylic top. For indoor use (no IP-rating) and outdoor use (IP65). Thickness 12-45 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately or on framework
- Easy maintenanceSmall to medium signs

Type ST 6 Edge





Description

Frontlit dimensional letter in 15 mm powder coated aluminum with 2-4 mm glowing

acrylic front and edge.
For indoor use (no IP-rating) and outdoor use (IP65).
Thickness 15-45 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately or on framework
- Easy maintenanceSmall to medium signs

Type ST 10





Description

Frontlit dimensional letter in 10 mm powder coated aluminum with 10 mm glowing

acrylic front and edge.
For indoor use (no IP-rating) and outdoor use (IP65).
Thickness 10-40 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately or on framework
- Easy maintenanceSmall to medium signs

Type ST 15





Description


Frontlit dimensional letter in 15 mm powder coated aluminum with 15 mm glowing

acrylic front and edge.
For indoor use (no IP-rating) and outdoor use (IP65).
Thickness 10-40 mm.

Strength

- Low power consumption, 12V
- Can be mounted seperately or on framework
- Easy maintenanceSmall to medium signs

Technical Information



Questions?

For further information concerning technical data, sizes, custom or your own specified and configured signs, do not hesitate to get in touch with us. You will find our contact information at the bottom of this page and on: www.lexsign.se

Warranty

We provide a 1-year production warranty on all parts.